Author Index

Abad, F.X., see Pintó, R.M., 31
Abouth, D., see Tordjeman, M., 21
Althaus, B., see Berger, R., 287
Anderson, J., Mertens, P.P.C. and Herniman, K.A.J., A competitive ELISA for the detection of anti-tubule antibodies using a monoclonal antibody against Bluetongue virus non-structural protein NS1, 167
Arany, I., see Rady, P.L., 335

Bauer, S.P., see Elliott, L.H., 85
Berger, R., Just, M. and Althaus, B., Time course of hepatitis A antibody production after active, passive and active/passive immunisation: the results are highly dependent on the antibody test system used, 287
Böni, J., see Schüpbach, J., 247
Bosch, A., see Pintó, R.M., 31
Braun, W., Weber, B., Moell, U., Hamann, A. and Doerr, H.W., Immunoglobulin A and M patterns to human cytomegalovirus during recurrent infection in patients with AIDS using a modified Western blot, 65
Briddon, R.W., Prescott, A.G., Lunness, P., Chamberlin, L.C.L. and Markham, P.G., Rapid production of full-length, infectious geminivirus clones by abutting primer PCR (AbP-PCR), 7

Carey, N., Roy, D.J. and Dalziel, R.G., Use of recombinant gp135 to study epitope-specific antibody responses to maedi visna virus, 221
Chamberlin, L.C.L., see Briddon, R.W., 7
Chan, A.W., see Quan, C.M., 299
Chin, R., see Rady, P.L., 335
Clewley, J.P., see Gibson, K.M., 101
Coffield, L.M., see Koopmans, M., 189
Compton, S.R., see Gaertner, D.J., 53

Dalziel, R.G., see Carey, N., 221
de Wilde, G.A. and Heijtink, R.A., Immuno disc assay for screening duck hepatitis B surface antigen in serum, liver tissue and cultured hepatocytes, 41
Doerr, H.W., see Braun, W., 65

Eizuru, Y., see Noda, S., 111
Elliott, L.H., Bauer, S.P., Perez-Oronoz, G. and Lloyd, E.S., Improved specificity of testing methods for filovirus antibodies, 85

Gaertner, D.J., Winograd, D.F., Compton, S.R., Paturzo, F.X. and Smith, A.L., Development and optimization of plaque assays for rat coronaviruses, 53
Gibson, K.M., Mori, J. and Clewley, J.P., Detection of HIV-1 in serum, using reverse transcription and the polymerase chain reaction (RT-PCR), 101
González-Dankaart, J.F., see Pintó, R.M., 31
Greiser-Wilke, I.M., see Gruber, A.D., 309
Gruber, A.D., Greiser-Wilke, I.M., Haas, L., Hewicker-Trautwein, M. and Moennig, V., Detection of bovine viral diarrhea virus RNA in formalin-fixed, paraffin-embedded brain tissue by nested polymerase chain reaction, 309
Guo, P., see Scholz, E., 273

Haas, L., see Gruber, A.D., 309
Hadidi, A., see Podleckis, E.V., 147
Hamann, A., see Braun, W., 65
Hammond, R.W., see Podleckis, E.V., 147
Harmsen, M., Oosterlaken, T.A.M., Tangerman, C., Snippe, H. and Kraaijeveld, C.A., Detection by a solid phase independent enzyme immunoassay of monoclonal anti-idiotypic antibodies against monoclonal antibodies neutralizing Semliki Forest virus and encephalomyocarditis virus, 137
Heijtink, R.A., see de Wilde, G.A., 41
Heinz, F.X., see Puchhammer-Stoeckl, E., 257
Herniman, K.A.J., see Anderson, J., 167
Hewicker-Trautwein, M., see Gruber, A.D., 309
Hiraga, M., see Nakamura, T., 123
Hoffenbach, A., see Tordjeman, M., 21
House, C. and Meyer, R.F., The detection of foot-and-mouth disease virus in oesophagealpharyngeal samples by a polymerase chain reaction technique, 1
Hughes, T.K., see Rady, P.L., 335
Huisman, H.G., see van Gemen, B., 177
Hurtt, S.S., see Podleckis, E.V., 147

Icenogle, J.P., see Tucker, R.A., 321
Ikenoue, T., see Noda, S., 111
Imaoka, K., see Kamata, H., 159

Jofre, J., see Pintó, R.M., 31
Johnson, P.R., see Tucker, R.A., 321
Just, M., see Berger, R., 287

Kai, C., see Kamata, H., 159
Kamata, H., Ohkubo, S., Sugiyama, M., Matsuura, Y., Kamata, Y., Tsukiyama-Kohara, K., Imaoka, K., Kai, C., Yoshikawa, Y. and Yamanouchi, K., Expression in baculovirus vector system of the nucleocapsid protein gene of rinderpest virus, 159
Kamata, Y., see Kamata, H., 159
Kato, A., see Nakamura, T., 123
Kievits, T., see van Gemen, B., 177
Koopmans, M., Monroe, S.S., Coffield, L.M. and Zaki, S.R., Optimization of extraction and PCR amplification of RNA extracts from paraffin-embedded tissue in different fixatives, 189
Kraaijeveld, C.A., see Harmsen, M., 137
Krajden, M., see Quan, C.M., 299
Kumar De, B., see Lin, J.-C., 233
Kunz, C., see Puchhammer-Stoeckl, E., 257

Lens, P., see van Gemen, B., 177
Lin, J.-C., Kumar De, B. and Lin, S.-C., Rapid and sensitive genotyping of Epstein-Barr virus using single-strand conformation polymorphism analysis of polymerase chain reaction products, 233
Lin, S.-C., see Lin, J.-C., 233
Lin, Z., see Nakamura, T., 123
Lloyd, E.S., see Elliott, L.H., 85
Lunness, P., see Briddon, R.W., 7

Malek, L.T., see van Gemen, B., 177
Markham, P.G., see Briddon, R.W., 7
Matsuura, Y., see Kamata, H., 159
Mertens, P.P.C., see Anderson, J., 167
Meyer, R.F., see House, C., 1
Minamishima, Y., see Noda, S., 111
Moell, U., see Braun, W., 65
Moennig, V., see Gruber, A.D., 309
Monroe, S.S., see Koopmans, M., 189
Mori, J., see Gibson, K.M., 101
Mori, N., see Noda, S., 111

Nakamura, T., Kato, A., Lin, Z., Hiraga, M., Nunoya, T., Otaki, Y. and Ueda, S., A rapid quantitative method for detecting infectious bursal disease virus using polystyrene latex microspheres, 123
Noda, S., Eizuru, Y., Minamishima, Y., Ikenoue, T. and Mori, N., Detection of human T-cell lymphotropic virus type 1 infection by the polymerase chain reaction using dried blood specimens on filter papers, 111
Nunoya, T., see Nakamura, T., 123
Nyholm, T., see Scholz, E., 273

Ohkubo, S., see Kamata, H., 159
Oosterlaken, T.A.M., see Harmsen, M., 137
Otaki, Y., see Nakamura, T., 123

Paturzo, F.X., see Gaertner, D.J., 53
Perez-Oronoz, G., see Elliott, L.H., 85
Pintó, R.M., Jofre, J., Abad, F.X., González-Dankaart, J.F. and Bosch, A., Concentration of fish enveloped viruses from large volumes of water, 31
Podleckis, E.V., Hammond, R.W., Hurtt, S.S. and Hadidi, A., Chemiluminescent detection of potato and pome fruit viroids by digoxigenin-labeled dot blot and tissue blot hybridization, 147
Prescott, A.G., see Briddon, R.W., 7
Puchhammer-Stoeckl, E., Heinz, F.X. and Kunz, C., Evaluation of 3 nonradioactive DNA detection systems for identification of herpes simplex DNA amplified from cerebrospinal fluid, 257

Quan, C.M., Krajden, M., Zhao, J. and Chan, A.W., High-performance liquid chromatography to assess the effect of serum storage conditions on the detection of hepatitis C virus by the polymerase chain reaction, 299

Rabillon, V., see Tordjeman, M., 21
Rady, P.L., Chin, R., Arany, I., Hughes, T.K. and Tyring, S.K., Direct sequencing of consensus primer generated PCR fragments of human papillomaviruses, 335
Reeves, W.C., see Tucker, R.A., 321
Roy, D.J., see Carey, N., 221

Scholz, E., Welniak, E., Nyholm, T. and Guo, P., An avian hepatoma cell line for the cultivation of infectious laryngotracheitis virus and for the expression of foreign genes with a mammalian promotor, 273
Schukkink, R., see van Gemen, B., 177
Schüpbach, J. and Böni, J., Quantitative and sensitive detection of immune-complexed and free HIV antigen after boiling of serum, 247
Smith, A.L., see Gaertner, D.J., 53
Snippe, H., see Harmsen, M., 137
Somme, G., see Tordjeman, M., 21
Sooknanan, R., see van Gemen, B., 177
Steiner, K.A., see Whittington, R.J., 205
Sugiyama, M., see Kamata, H., 159

Tangerman, C., see Harmsen, M., 137
Tordjeman, M., Rabillon, V., Abouth, D., Trepo, C., Hoffenbach, A. and Somme, G., Specific detection of anti-HBc antibodies with an enzyme

immunoassay using recombinant HBcAg and monoclonal antibodies, 21
Trepo, C., see Tordjeman, M., 21
Tsukiyama-Kohara, K., see Kamata, H., 159
Tucker, R.A., Johnson, P.R., Reeves, W.C. and Icenogle, J.P., Using the polymerase chain reaction to genotype human papillomavirus DNAs in samples containing multiple HPVs may produce inaccurate results, 321
Tyring, S.K., see Rady, P.L., 335

Ueda, S., see Nakamura, T., 123

van Gemen, B., Kievits, T., Schukkink, R., van Strijp, D., Malek, L.T., Sooknanan, R., Huisman, H.G. and Lens, P., Quantification of HIV-1 RNA in plasma using NASBATM during HIV-1 primary infection, 177
van Strijp, D., see van Gemen, B., 177

Weber, B., see Braun, W., 65
Welniak, E., see Scholz, E., 273
Whittington, R.J. and Steiner, K.A., Epizootic haematopoietic necrosis virus (EHNV): improved ELISA for detection in fish tissues and cell cultures and an efficient method for release of antigen from tissues, 205
Winograd, D.F., see Gaertner, D.J., 53

Xu, X., see Yang, F., 77

Yamanouchi, K., see Kamata, H., 159
Yang, F. and Xu, X., A new method of RNA preparation for detection of hepatitis A virus in environmental samples by the polymerase chain reaction, 77
Yoshikawa, Y., see Kamata, H., 159

Zaki, S.R., see Koopmans, M., 189
Zhao, J., see Quan, C.M., 299

Subject Index

Abutting primer, Polymerase chain reaction, Geminivirus, 7

Agarose, Sialodacryoadenitis virus, Rat coronavirus, Plaque assay, DEAE-D, Trypsin, Sephadex, 53

AIDS patients, ELISA, Human cytomegalovirus, Immune response, Viral polypeptides, 65

Antibodies to HBcAg, Hepatitis B, EIA, 21

Antibody, anti-tubule, Bluetongue virus non-structural protein (NS1), 167

Antigen detection, Infectious bursal disease virus, Monoclonal antibody, Polystyrene latex microsphere, 123

Antigenemia, Antigen test, Immune complexes, HIV, Diagnostic, Prognostic, 247

Antigen release from tissues, Epizootic haematopoietic necrosis virus ELISA, Fish disease, (*Onchorhynchus mykiss*), (*Perca fluviatilis*), 205

Antigen test, Immune complexes, HIV, Antigenemia, Diagnostic, Prognostic, 247

Anti-idiotypic antibodies, Semliki Forest virus, Encephalomyocarditis virus, Monoclonal, 137

Apple scar skin viroid, Potato spindle tuber viroid, Chemiluminescent, Digoxigenin, Hybridization, 147

Autolysis, Bovine viral diarrhea (BVD) virus, RT-PCR, Nested RT-PCR, Brain tissue, formalin-fixed and paraffin-embedded, 309

Avian cell line, Infectious laryngotracheitis virus, Transient expression, β-galactosidase, Immediate-early promotor, Human cytomegalovirus, DNA transfection, 273

β-galactosidase, Infectious laryngotracheitis virus, Avian cell line, Transient expression, Immediate-early promotor, Human cytomegalovirus, DNA transfection, 273

Baculovirus vector system, Nucleocapsid protein gene, Rinderpest virus, 159

Biotin, Polymerase chain reaction, Herpes simplex encephalitis, Digoxigenin, Photobiotin, Radioactive hybridization system, 257

Bluetongue virus non-structural protein (NS1), Antibody, anti-tubule, 167

Bovine viral diarrhea (BVD) virus, RT-PCR, Nested RT-PCR, Brain tissue, formalin-fixed and paraffin-embedded, Autolysis, 309

Brain tissue, formalin-fixed and paraffin-embedded, Bovine viral diarrhea (BVD) virus, RT-PCR, Nested RT-PCR, Autolysis, 309

Chemiluminescent, Apple scar skin viroid, Potato spindle tuber viroid, Digoxigenin, Hybridization, 147

Consensus primers, Papillomavirus, Polymerase chain reaction, Direct sequencing, 335

DEAE-D, Sialodacryoadenitis virus, Rat coronavirus, Plaque assay, Trypsin, Agarose, Sephadex, 53

Detection, Hepatitis C virus, PCR, Polymerase chain reaction, High-performance liquid chromatography, Viremia, Storage conditions, 299

DHBsAg, Immunoassay, Western blotting, DHBV, Serum, Hepatocytes, 41

DHBV, Immunoassay, Western blotting, DHBsAg, Serum, Hepatocytes, 41

Diagnostic, Antigen test, Immune complexes, HIV, Antigenemia, Prognostic, 247

Digoxigenin, Apple scar skin viroid, Potato spindle tuber viroid, Chemiluminescent, Hybridization, 147

Digoxigenin, Polymerase chain reaction, Herpes simplex encephalitis, Biotin, Photobiotin, Radioactive hybridization system, 257

Direct sequencing, Papillomavirus, Polymerase chain reaction, Consensus primers, 335

DNA transfection, Infectious laryngotracheitis virus, Avian cell line, Transient expression, β-galactosidase, Immediate-early promotor, Human cytomegalovirus, 273

EIA, Hepatitis B, Antibodies to HBcAg, 21

ELISA, AIDS patients, Human cytomegalovirus, Immune response, Viral polypeptides, 65

Encephalomyocarditis virus, Semliki Forest virus, Monoclonal, Anti-idiotypic antibodies, 137

Epitope-specific antibody, Maedi visna virus, Glycoprotein gp135, 221

Epizootic haematopoietic necrosis virus ELISA, Fish disease, Antigen release from tissues, (*Onchor-Onchorhynchus mykiss*), (*Perca fluviatilis*), 205

Epstein-Barr virus, Genotyping, Polymerase chain reaction, Single-strand conformation polymorphism analysis, 233

Extraction method, Viral RT-PCR, Paraffin, Fixatives, 189

Extraction of virus RNA, Hepatitis A virus,

Polymerase chain reaction, 77

Filovirus, Testing method, 85
Fish disease, Epizootic haematopoietic necrosis virus ELISA, Antigen release from tissues, (*Onchorhynchus mykiss*), (*Perca fluviatilis*), 205
Fixatives, Viral RT-PCR, Paraffin, Extraction method, 189
Foot-and-mouth disease virus, Polymerase chain reaction, Oesophageal-pharyngeal sample, 1

Geminivirus, Polymerase chain reaction, Abutting primer, 7
Genotyping, Epstein-Barr virus, Polymerase chain reaction, Single-strand conformation polymorphism analysis, 233
Glycoprotein gp135, Maedi visna virus, Epitope-specific antibody, 221
Guthrie paper, HTLV-1 proviral DNA, 111

Hepatitis A antibody, 287
Hepatitis A virus, Polymerase chain reaction, Extraction of virus RNA, 77
Hepatitis B, Antibodies to HBcAg, EIA, 21
Hepatitis C virus, PCR, Polymerase chain reaction, High-performance liquid chromatography, Detection, Viremia, Storage conditions, 299
Hepatocytes, Immunoassay, Western blotting, DHBV, DHBsAg, Serum, 41
Herpes simplex encephalitis, Polymerase chain reaction, Digoxigenin, Biotin, Photobiotin, Radioactive hybridization system, 257
High-performance liquid chromatography, Hepatitis C virus, PCR, Polymerase chain reaction, Detection, Viremia, Storage conditions, 299
HIV, Reverse transcriptase-PCR, Silica/guanidinium thiocyanate, Serum, RNA, PCR, 101
HIV, Antigen test, Immune complexes, Antigenemia, Diagnostic, Prognostic, 247
HIV-1 RNA, NASBA, Primary infection, Quantification, 177
HPV typing, Polymerase chain reaction, Human papillomavirus, Selective amplification from mixed samples, 321
HTLV-1 proviral DNA, Guthrie paper, 111
Human cytomegalovirus, AIDS patients, ELISA, Immune response, Viral polypeptides, 65
Human cytomegalovirus, Infectious laryngotracheitis virus, Avian cell line, Transient expression, β-galactosidase, Immediate-early promotor, DNA transfection, 273
Human papillomavirus, Polymerase chain reaction, Selective amplification from mixed samples, HPV typing, 321
Hybridization, Apple scar skin viroid, Potato spindle tuber viroid, Chemiluminescent, Digoxigenin, 147

Immediate-early promotor, Infectious laryngotracheitis virus, Avian cell line, Transient expression, β-galactosidase, Human cytomegalovirus, DNA transfection, 273
Immune complexes, Antigen test, HIV, Antigenemia, Diagnostic, Prognostic, 247
Immune response, AIDS patients, ELISA, Human cytomegalovirus, Viral polypeptides, 65
Immunoassay, Western blotting, DHBV, DHBsAg, Serum, Hepatocytes, 41
Infectious bursal disease virus, Monoclonal antibody, Polystyrene latex microsphere, Antigen detection, 123
Infectious laryngotracheitis virus, Avian cell line, Transient expression, β-galactosidase, Immediate-early promotor, Human cytomegalovirus, DNA transfection, 273

Maedi visna virus, Glycoprotein gp135, Epitope-specific antibody, 221
Monoclonal, Semliki Forest virus, Encephalomyocarditis virus, Anti-idiotypic antibodies, 137
Monoclonal antibody, Infectious bursal disease virus, Polystyrene latex microsphere, Antigen detection, 123

NASBA, HIV-1 RNA, Primary infection, Quantification, 177
Nested RT-PCR, Bovine viral diarrhea (BVD) virus, RT-PCR, Brain tissue, formalin-fixed and paraffin-embedded, Autolysis, 309
Nucleocapsid protein gene, Baculovirus vector system, Rinderpest virus, 159

Oesophageal-pharyngeal sample, Foot-and-mouth disease virus, Polymerase chain reaction, 1
Onchorhynchus mykiss, Epizootic haematopoietic necrosis virus ELISA, Fish disease, Antigen release from tissues, (*Perca fluviatilis*), 205

Papillomavirus, Polymerase chain reaction, Consensus primers, Direct sequencing, 335
Paraffin, Viral RT-PCR, Fixatives, Extraction method, 189
PCR, HIV, Reverse transcriptase-PCR, Silica/guanidinium thiocyanate, Serum, RNA, 101
PCR, Hepatitis C virus, Polymerase chain reaction, High-performance liquid chromatography, Detection, Viremia, Storage conditions, 299
Perca fluviatilis, Epizootic haematopoietic necrosis virus ELISA, Fish disease, Antigen release from tissues, (*Onchorhynchus mykiss*), 205

Photobiotin, Polymerase chain reaction, Herpes simplex encephalitis, Digoxigenin, Biotin, Radioactive hybridization system, 257
Plaque assay, Sialodacryoadenitis virus, Rat coronavirus, DEAE-D, Trypsin, Agarose, Sephadex, 53
Polymerase chain reaction, Foot-and-mouth disease virus, Oesophageal-pharyngeal sample, 1
Polymerase chain reaction, Geminivirus, Abutting primer, 7
Polymerase chain reaction, Hepatitis A virus, Extraction of virus RNA, 77
Polymerase chain reaction, Epstein-Barr virus, Genotyping, Single-strand conformation polymorphism analysis, 233
Polymerase chain reaction, Herpes simplex encephalitis, Digoxigenin, Biotin, Photobiotin, Radioactive hybridization system, 257
Polymerase chain reaction, Hepatitis C virus, PCR, High-performance liquid chromatography, Detection, Viremia, Storage conditions, 299
Polymerase chain reaction, Human papillomavirus, Selective amplification from mixed samples, HPV typing, 321
Polymerase chain reaction, Papillomavirus, Consensus primers, Direct sequencing, 335
Polystyrene latex microsphere, Infectious bursal disease virus, Monoclonal antibody, Antigen detection, 123
Potato spindle tuber viroid, Apple scar skin viroid, Chemiluminescent, Digoxigenin, Hybridization, 147
Primary infection, NASBA, HIV-1 RNA, Quantification, 177
Prognostic, Antigen test, Immune complexes, HIV, Antigenemia, Diagnostic, 247

Quantification, NASBA, HIV-1 RNA, Primary infection, 177

Radioactive hybridization system, Polymerase chain reaction, Herpes simplex encephalitis, Digoxigenin, Biotin, Photobiotin, 257
Rat coronavirus, Sialodacryoadenitis virus, Plaque assay, DEAE-D, Trypsin, Agarose, Sephadex, 53
Reverse transcriptase-PCR, HIV, Silica/guanidinium thiocyanate, Serum, RNA, PCR, 101
Rinderpest virus, Baculovirus vector system, Nucleocapsid protein gene, 159
RNA, HIV, Reverse transcriptase-PCR, Silica/guanidinium thiocyanate, Serum, PCR, 101
RT-PCR, Bovine viral diarrhea (BVD) virus, Nested RT-PCR, Brain tissue, formalin-fixed and paraffin-embedded, Autolysis, 309

Selective amplification from mixed samples, Polymerase chain reaction, Human papillomavirus, HPV typing, 321
Semliki Forest virus, Encephalomyocarditis virus, Monoclonal, Anti-idiotypic antibodies, 137
Sephadex, Sialodacryoadenitis virus, Rat coronavirus, Plaque assay, DEAE-D, Trypsin, Agarose, 53
Serum, Immunoassay, Western blotting, DHBV, DHBsAg, Hepatocytes, 41
Serum, HIV, Reverse transcriptase-PCR, Silica/guanidinium thiocyanate, RNA, PCR, 101
Sialodacryoadenitis virus, Rat coronavirus, Plaque assay, DEAE-D, Trypsin, Agarose, Sephadex, 53
Silica/guanidinium thiocyanate, HIV, Reverse transcriptase-PCR, Serum, RNA, PCR, 101
Single-strand conformation polymorphism analysis, Epstein-Barr virus, Genotyping, Polymerase chain reaction, 233
Storage conditions, Hepatitis C virus, PCR, Polymerase chain reaction, High-performance liquid chromatography, Detection, Viremia, 299

Testing method, Filovirus, 85
Transient expression, Infectious laryngotracheitis virus, Avian cell line, β-galactosidase, Immediate-early promotor, Human cytomegalovirus, DNA transfection, 273
Trypsin, Sialodacryoadenitis virus, Rat coronavirus, Plaque assay, DEAE-D, Agarose, Sephadex, 53

Viral polypeptides, AIDS patients, ELISA, Human cytomegalovirus, Immune response, 65
Viral RT-PCR, Paraffin, Fixatives, Extraction method, 189
Viremia, Hepatitis C virus, PCR, Polymerase chain reaction, High-performance liquid chromatography, Detection, Storage conditions, 299

Western blotting, Immunoassay, DHBV, DHBsAg, Serum, Hepatocytes, 41